













Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD133	1.00	8.20	7.20	77	1.33	8.21	0.68
AFD134	1.30	5.55	4.25	40	0.70	7.46	0.74
AFD135	5.10	11.50	6.40	50	0.80	6.92	0.44
AFD136	15.30	24.10	8.80	19	0.47	2.30	0.34

Section 1550E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD133	1.00	8.20	7.20	77	1.33	8.21	0.68
AFD134	1.30	5.55	4.25	40	0.70	7.46	0.74
AFD135	5.10	11.50	6.40	50	0.80	6.92	0.44
AFD136	15.30	24.10	8.80	19	0.47	2.30	0.34

Section 1550E - Cu


- Current collars
- Previous collars



Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD133	1.00	8.20	7.20	77	1.33	8.21	0.68
AFD134	1.30	5.55	4.25	40	0.70	7.46	0.74
AFD135	5.10	11.50	6.40	50	0.80	6.92	0.44
AFD136	15.30	24.10	8.80	19	0.47	2.30	0.34

Section 1550E - Mn

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD127	11.15	35.80	24.65	83	0.90	8.05	0.64
AFD128	20.25	44.25	24.00	72	0.84	6.08	0.49
AFD129	2.40	16.75	12.35	302	0.66	10.64	0.97
AFD130	0.00	42.25	35.55	322	0.58	6.88	0.67
Inc.	24.40	32.10	7.70	1174	0.80	11.14	1.25

Section 1600E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD127	11.15	35.80	24.65	83	0.90	8.05	0.64
AFD128	20.25	44.25	24.00	72	0.84	6.08	0.49
AFD129	2.40	16.75	12.35	302	0.66	10.64	0.97
AFD130	0.00	42.25	35.55	322	0.58	6.88	0.67
Inc.	24.40	32.10	7.70	1174	0.80	11.14	1.25

Section 1600E - Cu


- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD127	11.15	35.80	24.65	83	0.90	8.05	0.64
AFD128	20.25	44.25	24.00	72	0.84	6.08	0.49
AFD129	2.40	16.75	12.35	302	0.66	10.64	0.97
AFD130	0.00	42.25	35.55	322	0.58	6.88	0.67
Inc.	24.40	32.10	7.70	1174	0.80	11.14	1.25

Section 1600E - Mn

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD131	11.55	19.00	7.45	112	0.41	5.54	0.70
and	50.05	56.05	6.00	151	0.28	1.82	0.34
and	78.05	95.10	17.05	61	0.55	2.85	0.30
AFD132	0.00	11.90	11.90	146	0.14	1.70	0.35
and	22.05	40.15	18.10	101	0.52	7.39	1.13

Section 1650E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD131	11.55	19.00	7.45	112	0.41	5.54	0.70
and	50.05	56.05	6.00	151	0.28	1.82	0.34
and	78.05	95.10	17.05	61	0.55	2.85	0.30
AFD132	0.00	11.90	11.90	146	0.14	1.70	0.35
and	22.05	40.15	18.10	101	0.52	7.39	1.13

Section 1650E - Cu

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD131	11.55	19.00	7.45	112	0.41	5.54	0.70
and	50.05	56.05	6.00	151	0.28	1.82	0.34
and	78.05	95.10	17.05	61	0.55	2.85	0.30
AFD132	0.00	11.90	11.90	146	0.14	1.70	0.35
and	22.05	40.15	18.10	101	0.52	7.39	1.13

Section 1650E - Mn


- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD119	22.45	88.55	66.10	39	0.39	13.43	0.64
AFD122	17.70	27.05	9.35	11	0.27	5.24	0.38
and	53.35	66.95	13.60	10	0.26	6.97	0.54
and	88.15	98.40	10.25	83	0.56	3.90	0.23
AFD123	20.45	50.75	30.30	51	0.94	11.39	0.51
and	79.20	94.50	15.30	23	0.63	3.84	0.33
and	107.20	118.20	11.00	16	0.68	0.91	0.07
and	141.45	169.70	28.25	14	0.56	1.25	0.07
AFD124	14.65	28.50	12.35	40	0.56	8.45	0.60
and	113.00	133.60	20.60	21	0.44	4.98	0.14

Section 2300E - Ag


- Current collars
- Previous collars



Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD119	22.45	88.55	66.10	39	0.39	13.43	0.64
AFD122	17.70	27.05	9.35	11	0.27	5.24	0.38
and	53.35	66.95	13.60	10	0.26	6.97	0.54
and	88.15	98.40	10.25	83	0.56	3.90	0.23
AFD123	20.45	50.75	30.30	51	0.94	11.39	0.51
and	79.20	94.50	15.30	23	0.63	3.84	0.33
and	107.20	118.20	11.00	16	0.68	0.91	0.07
and	141.45	169.70	28.25	14	0.56	1.25	0.07
AFD124	14.65	28.50	12.35	40	0.56	8.45	0.60
and	113.00	133.60	20.60	21	0.44	4.98	0.14

Section 2300E - Cu

- Current collars
- Previous collars




0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD119	22.45	88.55	66.10	39	0.39	13.43	0.64
AFD122	17.70	27.05	9.35	11	0.27	5.24	0.38
and	53.35	66.95	13.60	10	0.26	6.97	0.54
and	88.15	98.40	10.25	83	0.56	3.90	0.23
AFD123	20.45	50.75	30.30	51	0.94	11.39	0.51
and	79.20	94.50	15.30	23	0.63	3.84	0.33
and	107.20	118.20	11.00	16	0.68	0.91	0.07
and	141.45	169.70	28.25	14	0.56	1.25	0.07
AFD124	14.65	28.50	12.35	40	0.56	8.45	0.60
and	113.00	133.60	20.60	21	0.44	4.98	0.14

Section 2300E - Mn

- Current collars
- Previous collars




0 50 100 m


Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD125	22.50	38.00	15.50	28	0.64	1.64	0.23
and	68.85	78.45	9.60	20	0.31	4.50	0.41
and	87.55	95.30	7.75	16	0.23	3.59	0.26
and	105.00	115.50	10.50	50	0.81	4.24	0.37
AFD126	22.30	44.80	22.50	47	0.62	4.65	0.43
and	52.90	60.55	7.65	34	0.78	2.48	0.10

Section 2350E - Ag

- Current collars
- Previous collars



Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD125	22.50	38.00	15.50	28	0.64	1.64	0.23
and	68.85	78.45	9.60	20	0.31	4.50	0.41
and	87.55	95.30	7.75	16	0.23	3.59	0.26
and	105.00	115.50	10.50	50	0.81	4.24	0.37
AFD126	22.30	44.80	22.50	47	0.62	4.65	0.43
and	52.90	60.55	7.65	34	0.78	2.48	0.10



0 50 100 m

Hole	From	To	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD125	22.50	38.00	15.50	28	0.64	1.64	0.23
and	68.85	78.45	9.60	20	0.31	4.50	0.41
and	87.55	95.30	7.75	16	0.23	3.59	0.26
and	105.00	115.50	10.50	50	0.81	4.24	0.37
AFD126	22.30	44.80	22.50	47	0.62	4.65	0.43
and	52.90	60.55	7.65	34	0.78	2.48	0.10

Section 2350E - Mn

- Current collars
- Previous collars