


0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45

Section 1050E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45

Section 1050E - Cu


- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45

Section 1050E - Mn


- Current collars
- Previous collars



Section 1125E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD156	0	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.5	24.05	47	2.30	6.10	0.24
AFD156	54.9	60.8	5.9	12	1.11	4.29	0.13
AFD157	0	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.6	20.55	545	2.50	20.23	1.14
AFD159	0	55.2	46.9	312	1.60	14.70	0.57
<i>Inc.</i>	22.3	49.6	23.5	498	1.49	20.46	0.69
AFD160	0	54.7	45.8	528	1.48	15.72	0.67
<i>Inc.</i>	18.4	53.8	29.5	737	1.71	19.96	0.81
AFD161	2.7	15.1	10.4	121	0.65	8.25	0.51
AFD161	23.8	74.75	50.95	174	1.47	10.49	0.35
<i>Inc.</i>	45.9	56.1	10.2	313	2.37	15.76	0.34
AFD161	80.9	103.15	22.25	160	0.46	3.00	0.12
AFD162	0	39.1	35.8	371	1.68	8.06	0.42
<i>Inc.</i>	11.8	25	11.4	1007	1.98	7.06	0.38
<i>Inc.</i>	30.9	39.1	8.2	16	2.80	9.28	0.28



Section 1125E - Cu

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD156	0	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.5	24.05	47	2.30	6.10	0.24
AFD156	54.9	60.8	5.9	12	1.11	4.29	0.13
AFD157	0	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.6	20.55	545	2.50	20.23	1.14
AFD159	0	55.2	46.9	312	1.60	14.70	0.57
<i>Inc.</i>	22.3	49.6	23.5	498	1.49	20.46	0.69
AFD160	0	54.7	45.8	528	1.48	15.72	0.67
<i>Inc.</i>	18.4	53.8	29.5	737	1.71	19.96	0.81
AFD161	2.7	15.1	10.4	121	0.65	8.25	0.51
AFD161	23.8	74.75	50.95	174	1.47	10.49	0.35
<i>Inc.</i>	45.9	56.1	10.2	313	2.37	15.76	0.34
AFD161	80.9	103.15	22.25	160	0.46	3.00	0.12
AFD162	0	39.1	35.8	371	1.68	8.06	0.42
<i>Inc.</i>	11.8	25	11.4	1007	1.98	7.06	0.38
<i>Inc.</i>	30.9	39.1	8.2	16	2.80	9.28	0.28



Section 1125E - Mn

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD156	0	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.5	24.05	47	2.30	6.10	0.24
AFD156	54.9	60.8	5.9	12	1.11	4.29	0.13
AFD157	0	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.6	20.55	545	2.50	20.23	1.14
AFD159	0	55.2	46.9	312	1.60	14.70	0.57
<i>Inc.</i>	22.3	49.6	23.5	498	1.49	20.46	0.69
AFD160	0	54.7	45.8	528	1.48	15.72	0.67
<i>Inc.</i>	18.4	53.8	29.5	737	1.71	19.96	0.81
AFD161	2.7	15.1	10.4	121	0.65	8.25	0.51
AFD161	23.8	74.75	50.95	174	1.47	10.49	0.35
<i>Inc.</i>	45.9	56.1	10.2	313	2.37	15.76	0.34
AFD161	80.9	103.15	22.25	160	0.46	3.00	0.12
AFD162	0	39.1	35.8	371	1.68	8.06	0.42
<i>Inc.</i>	11.8	25	11.4	1007	1.98	7.06	0.38
<i>Inc.</i>	30.9	39.1	8.2	16	2.80	9.28	0.28



Hole	From (m)	To (m)	Width (m)	Agg't	Cu%	Mn %	Zn %
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD156	0.00	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.50	24.05	47	2.30	6.10	0.24
AFD156	54.90	60.80	5.90	12	1.11	4.29	0.13
AFD157	0.00	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.60	20.55	545	2.50	20.23	1.14
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28
AFD159	0.00	55.20	46.90	312	1.60	14.70	0.57
<i>Inc.</i>	22.30	49.60	23.50	498	1.49	20.46	0.69

Section 1175E - Ag


- Current collars
- Previous collars



Section 1175E - Cu

- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg't	Cu%	Mn %	Zn %
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD156	0.00	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.50	24.05	47	2.30	6.10	0.24
AFD156	54.90	60.80	5.90	12	1.11	4.29	0.13
AFD157	0.00	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.60	20.55	545	2.50	20.23	1.14
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28
AFD159	0.00	55.20	46.90	312	1.60	14.70	0.57
<i>Inc.</i>	22.30	49.60	23.50	498	1.49	20.46	0.69



Hole	From (m)	To (m)	Width (m)	Agg't	Cu%	Mn %	Zn %
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD156	0.00	15.55	13.55	180	2.11	13.03	0.59
AFD156	25.45	49.50	24.05	47	2.30	6.10	0.24
AFD156	54.90	60.80	5.90	12	1.11	4.29	0.13
AFD157	0.00	38.75	37.25	371	2.26	19.71	0.96
<i>Inc.</i>	16.05	36.60	20.55	545	2.50	20.23	1.14
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28
AFD159	0.00	55.20	46.90	312	1.60	14.70	0.57
<i>Inc.</i>	22.30	49.60	23.50	498	1.49	20.46	0.69

Section 1175E - Mn


- Current collars
- Previous collars



Section 1225E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	24.60	36.90	10.8	427.16	3.28	20.76	0.39
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	18.40	25.75	7.35	575.65	2.09	27.11	1.19
AFD152	0.00	9.65	9.65	231.14	1.80	8.86	0.47
AFD152	26.50	79.50	48.5	438.24	2.22	24.88	0.57
AFD153	0.00	23.20	21.7	218.44	2.06	8.80	0.37
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28



Section 1225E - Cu

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	24.60	36.90	10.8	427.16	3.28	20.76	0.39
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	18.40	25.75	7.35	575.65	2.09	27.11	1.19
AFD152	0.00	9.65	9.65	231.14	1.80	8.86	0.47
AFD152	26.50	79.50	48.5	438.24	2.22	24.88	0.57
AFD153	0.00	23.20	21.7	218.44	2.06	8.80	0.37
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28



Section 1225E - Mn

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	24.60	36.90	10.8	427.16	3.28	20.76	0.39
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	18.40	25.75	7.35	575.65	2.09	27.11	1.19
AFD152	0.00	9.65	9.65	231.14	1.80	8.86	0.47
AFD152	26.50	79.50	48.5	438.24	2.22	24.88	0.57
AFD153	0.00	23.20	21.7	218.44	2.06	8.80	0.37
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28



Section 1225E - Mn

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	24.60	36.90	10.8	427.16	3.28	20.76	0.39
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	18.40	25.75	7.35	575.65	2.09	27.11	1.19
AFD152	0.00	9.65	9.65	231.14	1.80	8.86	0.47
AFD152	26.50	79.50	48.5	438.24	2.22	24.88	0.57
AFD153	0.00	23.20	21.7	218.44	2.06	8.80	0.37
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26
AFD155	0.00	78.80	70	230	1.81	10.91	0.42
<i>Inc.</i>	5.70	28.60	19.1	146	2.78	7.19	0.28
<i>Inc.</i>	28.60	44.60	14	570	1.86	23.45	0.71
AFD158	0.00	8.00	8.00	77	1.90	13.10	0.63
AFD158	12.40	25.10	10.70	48	1.53	5.64	0.28



Section 1250E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	<i>24.60</i>	<i>36.90</i>	<i>10.8</i>	<i>427.16</i>	<i>3.28</i>	<i>20.76</i>	<i>0.39</i>
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	<i>18.40</i>	<i>25.75</i>	<i>7.35</i>	<i>575.65</i>	<i>2.09</i>	<i>27.11</i>	<i>1.19</i>
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26



Section 1250E - Cu

- Current collars
- Previous collars

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	<i>24.60</i>	<i>36.90</i>	<i>10.8</i>	<i>427.16</i>	<i>3.28</i>	<i>20.76</i>	<i>0.39</i>
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	<i>18.40</i>	<i>25.75</i>	<i>7.35</i>	<i>575.65</i>	<i>2.09</i>	<i>27.11</i>	<i>1.19</i>
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26




0 50 100 m

Section 1250E - Mn

- Current collars
- Previous collars

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD150	0.00	49.80	45.3	202.49	2.31	12.59	0.34
<i>Inc.</i>	<i>24.60</i>	<i>36.90</i>	<i>10.8</i>	<i>427.16</i>	<i>3.28</i>	<i>20.76</i>	<i>0.39</i>
AFD151	0.00	35.40	30.9	239.97	1.23	13.51	0.69
<i>Inc.</i>	<i>18.40</i>	<i>25.75</i>	<i>7.35</i>	<i>575.65</i>	<i>2.09</i>	<i>27.11</i>	<i>1.19</i>
AFD154	0.00	39.90	28.1	137.26	1.83	7.58	0.26




0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45
AFD149	21.70	25.10	3.4	420.29	2.66	16.45206	0.43

Section 1300E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45
AFD149	21.70	25.10	3.4	420.29	2.66	16.45206	0.43

Section 1300E - Cu

- Current collars
- Previous collars




0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD148	0.00	4.10	4.1	141.93	0.67	10.50756	0.45
AFD148	19.30	31.30	10	259.80	2.32	24.959	0.45
AFD149	21.70	25.10	3.4	420.29	2.66	16.45206	0.43

Section 1300E - Mn


- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD146	0	15.15	15.15	108.51	1.33	2.004686	0.14
AFD147	<i>No significant mineralization</i>						

Section 1450E - Ag

- Current collars
- Previous collars




0 50 100 m

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD146	0	15.15	15.15	108.51	1.33	2.004686	0.14
AFD147	<i>No significant mineralization</i>						

Section 1450E - Cu

- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD146	0	15.15	15.15	108.51	1.33	2.004686	0.14
AFD147	<i>No significant mineralization</i>						

Section 1450E - Mn

- Current collars
- Previous collars